

SAFETY DATA SHEET

SDS Ref. No:

A1511



Amoretti® Craft Puree

1. Identification

Product identifier used on the label: Amoretti® Craft Puree 17

Recommended use: Culinary Ingredient

Other means of identification: Watermelon Craft Puree

Restrictions on use: None known

Manufacturer/Supplier

Amoretti®
Noushig Inc.
451 Lombard Street
Oxnard, CA 93030

Phone: 1-800-AMORETTI

Phone: 1-805-983-2903

EMAIL: info@amoretti.com

WEBSITE: www.amoretti.com

24 HR Emergency Telephone Numbers

CHEMTREC : (800) 424 - 9300

Outside the U.S. Call Collect : 001 (703) 527-3887

2. Hazards Identification

Classification of the chemical substance in accordance with paragraph (d) of §1910.1200: This product is considered to be hazardous in accordance with paragraph (d) of §1910.1200 (Hazard Communication).

GHS Classification: Flammable Liquid Category 3

GHS Signal Word: Warning

GHS Hazard Symbol:



GHS Hazard Statements: H226 - Flammable liquid and vapor

Precautionary Statements (Safety): P280 - Wear protective gloves and eye/face protection.
P243 - Take precautionary measures against static discharge.
P242 - Use only non-sparking tools.
P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.
P240 - Ground/bond container and receiving equipment.
P233 - Keep container tightly closed.
P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Precautionary Statements (First Aid): P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P370+P378 - In case of fire: Use carbon dioxide, dry chemical, alcohol-resistant foam or water fog for extinction.

Precautionary Statements (Disposal): P501 - Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

Precautionary Statements (Storage): P403+P235 - Store in a well-ventilated place. Keep cool. P233 - Keep container tightly closed.

Other Hazards: Ingestion causes gastrointestinal irritation. May cause a burning sensation. Ingestion of large quantities may cause excitement, headache, dizziness, drowsiness, slurred speech, confusion, nausea and unconsciousness. Chronic ingestion may cause liver damage (cirrhosis).

Hazards Not Otherwise Classified (HNOC): None

3. Composition/information on ingredients

Hazardous Ingredients	GHS Classification	Wt.%	CAS#
Ethyl Alcohol	Flam Liq 2; Eye Irrit 2B; Skin Irrit 2	<10%	64-17-5

See Section 8 for Exposure Limits

4. First aid measures

Description of first aid measures

Following contact with eyes: Flush eyes with plenty of water. Get medical attention, if irritation develops or persists.

Following contact with skin: Take off contaminated clothing and wash before reuse. Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention

Following Ingestion: Normally not needed. Do not induce vomiting. If large quantities are ingested, call your local Poison Control Center (1-800-222-1222 in the U.S) or a physician.

Following Inhalation: Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.

Potential effects of overexposure:

May cause transient eye irritation. Ingestion causes gastrointestinal irritation. May cause a burning sensation. Ingestion of large quantities may cause excitement, headache, dizziness, drowsiness, slurred speech, confusion, nausea and unconsciousness.

5. Firefighting measures

Extinguishing media: In case of fire: Use carbon dioxide, dry chemical, alcohol-resistant foam or water fog for extinction.

Special hazards arising from the mixture:

Flammable liquid and vapor. Store away from heat, sparks, or other sources of ignition. Keep container tightly closed when not in use.

Advice for firefighters: As in any fire, wear self-contained breathing apparatus operated in pressure-demand mode, (NIOSH approved or equivalent) and full protective gear. .

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear gloves to prevent skin contact. Wash thoroughly after handling. Avoid contact with eyes.

Environmental precautions

As with all chemicals, use of good chemical hygiene and environmental stewardship practices is recommended.

Methods and material for containment and cleaning up

Flammable. Remove sources of ignition. Absorb spill then place in appropriate container for disposal. Clean up spill immediately. Use spark-proof tools and explosion-proof equipment. Wash spill area with soap and water. Notify appropriate authorities if liquid enters sewers or other public waters.

Reference to other sections Refer to Section 8, Exposure Control/Personal Protection.

7. Handling and storage

Precautions for safe handling: Use with adequate ventilation. Avoid contact with eyes. Avoid contact with skin. Keep away from open flame and other sources of ignition. Follow good manufacturing practice (GMP) for housekeeping and personal hygiene. Avoid inhalation of concentrated vapors

Conditions for safe storage, including any incompatibilities: Follow storage requirements for Flammable Liquids Category 3 as described in 29 CFR 1910.106 or similar best practice. Store in original shipping container and keep tightly sealed. Store in a cool, dry, well-ventilated area away from incompatible substances. Protect from heat, spark, static discharge or other sources of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters:

		HAZARDOUS COMPONENTS			
		EXPOSURE LIMITS			
		OSHA PEL		ACGIH TLV	
Chemical Name		ppm	mg/m ³	ppm	mg/m ³
Ethyl Alcohol	TWA	1000	1900	1000 ceiling	1880 ceiling

Exposure Controls:

Appropriate engineering controls: Good general ventilation should be sufficient to control airborne levels. A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OELs)

Individual protection measures:

Eye/Face protection: Follow facility guidelines

Skin protection: Use of good chemical hygiene practices in the workplace is required.

Respiratory protection: This mixture has not been tested as a whole. The hazards stated and related recommendations for Personal Protective Equipment are based on currently available information on the individual ingredients in the mixture.

Employers are urged to review information provided by the National Institute of Occupational Safety and Health (NIOSH) and the Flavor and Extract Manufacturers Association (FEMA) regarding respiratory protection programs for workers exposed to food flavorings. If occupational exposures are above permissible limits, a NIOSH approved respirator designated to control organic vapors is recommended. A respiratory protection program that meets OSHA 1910.134 requirements must be followed whenever workplace conditions warrant a respirator's use. Additionally, the recommendations found in the following documents are applicable to all chemicals used in the workplace:

"Preventing Lung Disease in Workers Who Use or Make Flavorings" NIOSH Publication No. 2004-110

"Respiratory Health and Safety in the Flavor Manufacturing Workplace" FEMA, 2003

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid

Odor: characteristic

Color: varies

Odor Threshold: not determined

pH: not determined

Percent volatile: <5% (ethanol)

Vapor pressure: not determined

Vapor density: >1 (air = 1)

Relative density: 1.02

Boiling point: not determined

Melting point: not determined

Evaporation rate: not determined

Solubility in water: Soluble

Oxidizing properties: None

Flashpoint: >100°F

Flammability: flammable

Viscosity: not determined

Autoignition temperature: not determined

N-octanol/water partition coefficient: log Pow: not determined

Explosion limits, lower: not determined

Explosion limits, upper: not determined

10. STABILITY AND REACTIVITY

Reactivity: Hazardous polymerization will not occur

Chemical Stability: This product is stable when properly handled and stored.

Possibility of hazardous reactions: none known

Conditions to avoid: Store away from heat, flame, other sources of ignition.

Incompatible materials: Strong acids, bases, and oxidizers.

Hazardous decomposition products: CO, CO₂, and hydrocarbons

11. TOXICOLOGICAL INFORMATION

Route(s) of exposure: eye contact, skin contact, ingestion, inhalation

Signs and symptoms of overexposure: May cause transient eye irritation. Ingestion causes gastrointestinal irritation. May cause a burning sensation. Ingestion of large quantities may cause excitement, headache, dizziness, drowsiness, slurred speech, confusion, nausea and unconsciousness.

Description of immediate effects:

Chemical Name	Inhalation LC ₅₀	Oral LD ₅₀
Ethyl Alcohol	20,000 ppm/10H	7060 mg/kg (rat)

Skin Corrosion/Irritation: Does not meet classification criteria.

Serious Eye Damage/Irritation: Does not meet classification criteria.

Respiratory or Skin Sensitization: Not expected to be a skin sensitizer.

STOT Single Exposure: Does not meet classification criteria.

Description of delayed effects:

Chemical Name	NTP Status	IARC Status	OSHA Status
Ethyl Alcohol	Not Listed	Not Listed for industrial exposures	Not Listed

Reproductive Toxicity: Repeated ingestion of ethyl alcohol is known to cause harm to unborn child.

Mutagenicity: Not known or expected to be mutagenic

STOT Repeat Exposure: Data lacking for classification.

Comments: This product has not been tested on animals. The toxicological information has been taken from available literature on the components.

12. ECOLOGICAL INFORMATION

Toxicity: This product has not been tested as a whole. The data has been taken from available literature on the components.

Aquatic Toxicity 96H: LC₅₀: 12900-15300 mg (ethyl alcohol)/L (Rainbow Trout)

Aquatic Toxicity 24H: LC₅₀: 11200 mg (ethyl alcohol)/L (Rainbow Trout)

13. DISPOSAL CONSIDERATIONS

Disposal method: Dispose of this product in accordance with all applicable local, state, and federal regulations. This material may exhibit flammability characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. US EPA guidelines for classification determination are listed in 40 CFR Part 261.3. Processing, use, contamination or removal process may change waste management options. State and local disposal regulations may differ from federal disposal regulations. It is the generator's responsibility to properly classify their wastes.

14. TRANSPORTATION INFORMATION

DOT (Department of Transportation):

Proper shipping name: Not regulated by ground or rail in non-bulk containers.

15. REGULATORY INFORMATION

United States

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Flammable Liquid Category 3

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Weight %	Reportable Quantity (RQ)
Ethyl Alcohol	<10	Not listed

16. OTHER INFORMATION

Revision Summary: New SDS

Issue Date: 10/17//2016

Manufacturer Disclaimer: The information presented herein is believed to be accurate and is given in good faith but is not warranted. No warranty, express or implied, is made. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of this product and the safety and health of employees. This product is a mixture of several components. Hazard determination is based on information currently available on the components of the mixture. Since hazardous and toxicological effects of the mixture are not fully known, the material may present unknown hazards and appropriate precautions for exposures in the workplace should be taken.

END OF SDS