

# Amoretti® 91

### 1: Identification

Product Identifier Used on the Label: Amoretti® 91

Recommended Use: Culinary Ingredient

Uses advised against: Not intended for ingestion in concentrated form.

Other Means of Identification: Key Lime Extract Natural W.S.

Manufacturer/Supplier

**Amoretti®** Noushig Inc.

451 Lombard Street Oxnard, CA 93030 Phone: 1-800-AMORETTI

Phone: 1-805-983-2903 EMAIL: info@amoretti.com WEBSITE: www.amoretti.com 24 HR. EMERGENCY TELEPHONE NUMBERS (800) 424 - 9300 CHEMTREC: Outside the U.S. Call Collect : 001 (703) 527-3887

## 2: Hazards Identification

Classification of the chemical substance

in accordance with paragraph (d) of

This product is considered to be hazardous in accordance with paragraph (d) of §1910.1200 (Hazard Communication).

§1910.1200:

**GHS Classification:** Skin Sensitization Category 1

Serious Eye Damage/Eye Irritation Category 2A

Skin Irritation Category 2 Flammable Liquid Category 2

Label elements

**GHS Signal Word:** Danger

**GHS Hazard** Symbol:





**GHS Hazard** May cause an allergic skin reaction.

Statements: Causes skin irritation

Causes serious eye irritation Highly flammable liquid and vapor

Precautionary P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. Statements (Safety):

P272 - Contaminated work clothing should not be allowed out of the workplace.

P243 - Take precautionary measures against static discharge.

Amoretti® 91 Page 1 of 6 P242 - Use only non-sparking tools.

P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.

P240 - Ground/bond container and receiving equipment.

P233 - Keep container tightly closed.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Precautionary

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Statements (First Aid): Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower. P363 - Wash contaminated clothing before reuse.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P370+P378 - In case of fire: Use carbon dioxide, dry chemical, alcohol-resistant foam

or water fog for extinction.

Precautionary

P501 - Dispose of contents/container in accordance with local/regional/national/

Statements (Disposal):

international regulation for hazardous wastes.

Precautionary

P403+P235 - Store in a well-ventilated place. Keep cool.

Statements (Storage):

P233 - Keep container tightly closed.

Other Hazards:

Ingestion causes gastrointestinal irritation. May cause a burning sensation. Ingestion of large quantities may cause excitement, headache, dizziness, drowsiness, slurred speech, confusion, nausea and unconsciousness. Chronic ingestion may cause liver damage (cirrhosis).

May be absorbed through skin with prolonged and widespread contact.

Hazards Not

Otherwise Classified:

None

# 3: Composition/information on ingredients

<u>Hazardous Ingredients</u>	GHS Classification	<u>Wt.%</u>	CAS#
Ethyl Alcohol	Flam Liq 2; Eye Irrit 2B; Skin Irrit 2	>30	64-17-5
Flavoring Compound	Skin Sens 1; Eye Irrit 2A	Proprietary	proprietary

Comments: The specific chemical composition and composition range of this material is being withheld as a trade secret. It will be provided in accordance with the provisions of 29 CFR 1910.1200(i).

See Section 8 for Exposure Limits

### 4: First aid measures

### Description of first aid measures

Following eye contact: Immediately flush eyes with plenty of water. Remove contact lenses if present and easy to do so. Get medical attention, if irritation persists.

Following skin contact: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Launder clothing before reuse.

Following ingestion: Do not induce vomiting. If large quantities are ingested or if you feel unwell, call your local Poison Control Center (1-800-222-1222 in the U.S) or a physician.

Following Inhalation: Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.

#### Potential effects of overexposure:

Amoretti® 91 Page 2 of 6

Causes eye irritation. May cause redness and tearing. Causes skin irritation. May cause an allergic skin rash. Ingestion causes gastrointestinal irritation. May cause a burning sensation. Ingestion of large quantities may cause excitement, headache, dizziness, drowsiness, slurred speech, confusion, nausea and unconsciousness.

#### 5: Firefighting measures

Extinguishing media: In case of fire: Use carbon dioxide, dry chemical, alcohol-resistant foam or water fog for extinction

**Special hazards arising from the mixture:** Flammable liquid and vapor. Store away from heat, sparks, or other sources of ignition. Keep container tightly closed when not in use. No smoking. Keep container tightly closed when not in use.

**Advice for firefighters**: As in any fire, wear self-contained breathing apparatus operated in pressure-demand mode, (NIOSH approved or equivalent) and full protective gear.

#### 6: Accidental release measures

**Personal precautions, protective equipment and emergency procedures**: Wear gloves and long sleeves. If splashing is possible, wear chemical splash goggles. Flammable. Protect from heat, spark and other sources of ignition.

**Environmental precautions:** As with any spill, follow sound environmental management practice and chemical hygiene procedures. Do not flush to sewer. Clean up spills immediately.

**Methods and material for containment and cleaning up:** Flammable. Ventilate spill area. Clean up spills immediately. Protect from heat, spark, and other sources of ignition. Absorb spill with inert material (e.g. dry sand, clay) then place in appropriate container for disposal. Cover tightly.

Reference to other sections: Refer to Section 8, Exposure Control/Personal Protection. .

## 7: Handling and storage

**Precautions for safe handling:** Use with adequate ventilation. Follow good manufacturing practice (GMP) for housekeeping and personal hygiene. Wear gloves and long sleeves. Avoid contact with eyes. Avoid inhalation of concentrated vapors. Launder contaminated clothing before reuse.

**Precautions for safe storage, including any incompatibilities:** Follow storage requirements for Flammable Liquids, Category 2, as described in 29 CFR 1910.106. Store in original shipping container and keep tightly sealed. Store in a cool, dry, well-ventilated area away from strong oxidizers. Protect from heat, spark, static discharge or other sources of ignition.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# Control Parameters:

### **HAZARDOUS COMPONENTS**

		EXPOSURE LIMITS			
		OSHA PEL		ACGIH TLV	
Chemical Name		<u>ppm</u>	mg/m <sup>3</sup>	<u>ppm</u>	mg/m³
Ethyl Alcohol	TWA	1000	1900	1000	1800
Flavoring Compound	TWA	Not established		Not established	

### **Exposure Controls:**

Appropriate engineering controls: Good general ventilation should be sufficient to control airborne levels. A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OELs)

### Individual protection measures:

Eye/Face protection: If handling large quantities in an industrial setting and splashing is possible, wear appropriate eye protection.

Skin protection: Use of good chemical hygiene practices in the workplace is required. Wear gloves and long sleeves to prevent prolonged or repeated skin contact. Wash contaminated clothing before reuse.

Amoretti® 91 Page 3 of 6

Respiratory protection: This mixture has not been tested as a whole. The hazards stated and related recommendations for Personal Protective Equipment are based on currently available information on the individual ingredients in the mixture.

Employers are urged to review information provided by the National Institute of Occupational Safety and Health (NIOSH) and the Flavor and Extract Manufacturers Association (FEMA) regarding respiratory protection programs for workers exposed to food flavorings. If occupational exposures are above permissible limits, a NIOSH approved respirator designated to control organic vapors is recommended. A respiratory protection program that meets OSHA 1910.134 requirements must be followed whenever workplace conditions warrant a respirator's use. Additionally, the recommendations found in the following documents are applicable to all chemicals used in the workplace:

"Preventing Lung Disease in Workers Who Use or Make Flavorings" NIOSH Publication No. 2004-110

"Respiratory Health and Safety in the Flavor Manufacturing Workplace" FEMA, 2003

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Odor: alcoholic, citrus

Color: yellow

Odor Threshold: not determined

pH: not determined

Percent volatile: not determined Vapor pressure: not determined Vapor density: not determined Relative density: not determined Boiling point: not determined Melting point: not determined Evaporation rate: not determined

Solubility in water: Soluble Oxidizing properties: None

Flashpoint: <68°F

Flammability: not applicable Viscosity: not determined

Autoignition temperature: not determined

N-octanol/water partition coefficient: not determined

Explosion limits, lower: not determined Explosion limits, upper: not determined

## **10. STABILITY AND REACTIVITY**

**Reactivity:** Hazardous polymerization will not occur.

Chemical stability: This product is stable when properly handled and stored.

Possibility of hazardous reactions: None known

**Conditions to avoid:** Store away from heat, flame, other sources of ignition.

Hazardous decomposition products: CO, CO2, and hydrocarbons

Incompatible materials: Strong acids, bases, and oxidizers.

Amoretti® 91 Page 4 of 6

#### 11. TOXICOLOGICAL INFORMATION

Route(s) of exposure: eye contact, skin contact, ingestion, inhalation

Signs and symptoms of overexposure: Causes eye irritation. May cause redness and tearing. Causes skin irritation. May cause an allergic skin rash. Ingestion causes gastrointestinal irritation. May cause a burning sensation. Ingestion of large quantities may cause excitement, headache, dizziness, drowsiness, slurred speech, confusion, nausea and unconsciousness.

**Description of immediate effects:** 

Chemical Name	Inhalation LC <sub>50</sub> (rat)	DERMAL LD50 (rabbit)	ORAL LD <sub>50</sub> (rat)
Ethyl Alcohol	20,000 ppm/10H		7060 mg/kg
Flavoring Component		>5000 mg/kg	>5000, mg/kg

Skin corrosion irritation: Draize test (ethyl alcohol), rabbit, eye, 30 mg/24H Moderate

Serious eye damage/irritation: Classification criteria are fulfilled. Causes serious eye irritation.

Skin sensitization: Classification criteria are fulfilled. Causes allergic skin reaction.

Reproductive effects: Prolonged and repeated ingestion of large quantities may cause harm to the developing fetus.

STOT - Specific Target Organ Toxicity - Single Exposure: Does not meet classification criteria.

## Description of delayed effects:

#### **Carcinogenicity:**

Chemical Name	NTP STATUS	IARC STATUS	OSHA STATUS
Ethyl Alcohol	Not Listed	Not Listed	Not Listed
Flavoring component	Not Listed	Not Listed	Not Listed

Mutagenicity: Not expected or known to be a mutagen.

STOT - Repeated Exposure: Data lacking for classification.

Comments: This product has not been tested on animals. The toxicological information has been taken from available literature on the components.

#### 12. ECOLOGICAL INFORMATION

#### **Environmental data:**

AQUATIC TOXICITY (ACUTE) (ethyl alcohol):

**96-HOUR LC**<sub>50</sub>: 12900-15300 mg/L (Rainbow Trout)

24-HOUR LC<sub>50</sub>: 11200 mg/L (Rainbow Trout)

### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose of this product in accordance with all applicable local, state, and federal regulations. This material may exhibit flammability characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. US EPA guidelines for classification determination are listed in 40 CFR Part 261.3. Processing, use, contamination or removal process may change waste management options. State and local disposal regulations may differ from federal disposal regulations. It is the generator's responsibility to properly classify their wastes.

#### 14. TRANSPORATION INFORMATION

Amoretti® 91 Page 5 of 6

PROPER SHIPPING NAME: Extracts, flavoring liquid

PRIMARY HAZARD CLASS/DIVISION: 3

UN / NA NUMBER: UN1197

PACKING GROUP: II

### 15. REGULATORY INFORMATION

**UNITED STATES** 

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES:

FIRE: YES PRESSURE GENERATING: NO REACTIVITY: NO ACUTE: YES CHRONIC: NO

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All components are listed on the TSCA Inventory or are excluded or exempt.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

Chemical Name	Weight %	Reportable Quantity (RQ)
Proprietary Flavor Component	Proprietary	Not listed

#### **16. OTHER INFORMATION**

Revision summary: New SDS Revision Date: 10/18/2016

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate and is given in good faith but is not warranted. No warranty, express or implied, is made. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of this product and the safety and health of employees.

This product is a mixture of several components. Hazard determination is based on information currently available on the components of the mixture. Since hazardous and toxicological effects of the mixture are not fully known, the material may present unknown hazards and appropriate precautions for exposures in the workplace should be taken.

End of MSDS

Amoretti® 91 Page 6 of 6