

# Amoretti® 650

#### 1. Identification

Product identifier used on the label: Amoretti® 650

Recommended use: Culinary Ingredient

Other means of identification: Rhubarb Extract W.S.

Restrictions on Use: None

Manufacturer/Supplier

Amoretti® Noushig Inc.

451 Lombard Street Oxnard, CA 93030

Phone: 1-800-AMORETTI Phone: 1-805-983-2903 EMAIL: info@amoretti.com WEBSITE: www.amoretti.com 24 HR Emergency Telephone Numbers

CHEMTREC: (800) 424 - 9300 Outside the U.S. Call Collect: 001 (703) 527-3887

#### 2. Hazards Identification

Classification of the chemical substance in

accordance with paragraph (d) of 1910.1200 **GHS Classification:** 

**GHS Signal Word:** GHS Hazard Symbol:

of 1910.1200 (Hazard Communication).

This product is considered hazardous in accordance with paragraph (d)

Flammable Liquid Category 3; Skin Sensitizer Category 1 Warning





**GHS Hazard Statements:** 

H226 - Flammable liquid and vapor

H317 - May cause allergic skin reaction

Precautionary Statements (Safety):

P280 - Wear protective gloves, protective clothing.

P264 - Wash thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the

workplace.

P261 - Avoid breathing vapors/spray/fumes

P243 - Take precautionary measures against static discharge.

P242 - Use only non-sparking tools.

P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.

P240 - Ground/bond container and receiving equipment.

P233 - Keep container tightly closed.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Precautionary Statements (First Aid):

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

Amoretti® 650 Page 1 of 6 P333+P313 - If skin irritation occurs, get medical attention.

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: In case of fire: Use alcohol resistant foam,

carbon dioxide, or dry chemical when fighting fires.

Precautionary Statements (Disposal): P501 - Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Precautionary Statements (Storage): P403+P235 - Store in a well-ventilated place. Keep cool.

P233 - Keep container tightly closed.

Hazards Not Otherwise Specified: None

## 3. Composition/information on ingredients

<u>Hazardous Ingredients</u>	GHS Classification	<u>Wt.%</u>	CAS#
Ethyl Alcohol	Flam Liq 2; Eye Irrit 2B; Skin Irrit 2	Proprietary	64-17-5
Flavor Component	Skin Sens 1; Eye Irrit 2B; Flam Liq 3	Proprietary	Proprietary

The specific composition and composition range of this product are claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

See Section 8 for Exposure Limits

#### 4. First aid measures

## Description of first aid measures

Following contact with eyes: Flush eyes with plenty of water. Get medical attention, if irritation develops or persists.

Following contact with skin: Take off contaminated clothing and wash before reuse. Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention

Following Ingestion: Normally not needed. Do not induce vomiting. If large quantities are ingested, call your local Poison Control Center (1-800-222-1222 in the U.S) or a physician.

Following Inhalation: Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.

## Potential effects of overexposure:

May cause an allergic skin rash. Causes eye irritation. May cause skin dryness and cracking. Ingestion causes gastro-intestinal irritation. May cause a burning sensation. Ingestion of large quantities may cause excitement, headache, dizziness, drowsiness, slurred speech, confusion, nausea and unconsciousness. Chronic ingestion may cause liver damage (cirrhosis). May be absorbed through skin with prolonged and widespread contact.

## Indication of any immediate medical attention and special treatment needed:

No additional first aid information available.

## 5. Firefighting measures

**Extinguishing media:** In case of fire: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires.

## Special hazards arising from the mixture:

Flammable liquid and vapor. Store away from heat, sparks, or other sources of ignition. Keep container tightly closed when not in use.

**Advice for firefighters:** As in any fire, wear self-contained breathing apparatus operated in pressure-demand mode, (NIOSH approved or equivalent) and full protective gear. .

#### **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Wear gloves to prevent skin contact. Wash thoroughly after handling. Launder clothing before reuse. Avoid contact with

Amoretti® 650 Page 2 of 6

eves.

## **Environmental precautions**

As with all chemicals, use of good chemical hygiene and environmental stewardship practices is recommended.

## Methods and material for containment and cleaning up

Flammable. Remove sources of ignition. Absorb spill then place in appropriate container for disposal. Clean up spill immediately. Use spark-proof tools and explosion-proof equipment. Wash spill area with hot soapy water. Notify appropriate authorities if liquid enters sewers or other public waters.

Reference to other sections Refer to Section 8, Exposure Control/Personal Protection.

#### 7. HANDLING AND STORAGE

**Precautions for safe handling**: Use with adequate ventilation. Avoid contact with eyes. Avoid contact with skin. Keep away from open flame and other sources of ignition. Follow good manufacturing practice (GMP) for housekeeping and personal hygiene. Avoid inhalation of concentrated vapors

Conditions for safe storage, including any incompatibilities: Follow storage requirements for Flammable Liquids Category 3 as described in 29 CFR 1910.106 or similar best practice. Store in original shipping container and keep tightly sealed. Store in a cool, dry, well-ventilated area away from incompatible substances. Protect from heat, spark, static discharge or other sources of ignition.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Control Parameters:**

# **HAZARDOUS COMPONENTS**

III LE ALLE CONTROLLE CONT					
	•	EXPOSURE LIMITS			
		OSHA PEL ACGIH TLV		<u>HTLV</u>	
Chemical Name		<u>ppm</u>	mg/m³	<u>ppm</u>	mg/m³
Ethanol	TWA	1000	1900	1000*	1880*
Flavoring Component	TWA	NE	NE	NE	NE
PEL = Permissible Exposure Limit; AL = Action Limit; NE = Not Established; RD = Respirable Dust; STEL = Short Term Exposure Limit; TD = Total Dust; TLV = Threshold Limit Value					

<sup>\*</sup>Ceiling or STEL

## **Exposure Controls:**

Appropriate engineering controls: Good general ventilation should be sufficient to control airborne levels. A system of local and/or general exhaust is recommended where employee exposures are at or above Occupational Exposure Limits (OELs)

#### Individual protection measures:

Eye/Face protection: Follow facility guidelines

Skin protection: Use of good chemical hygiene practices in the workplace is required. Wear gloves and long sleeves to prevent prolonged or repeated skin contact. Wash thoroughly after use. Launder protective clothing before reuse.

Respiratory protection: This mixture has not been tested as a whole. The hazards stated and related recommendations for Personal Protective Equipment are based on currently available information on the individual ingredients in the mixture.

Employers are urged to review information provided by the National Institute of Occupational Safety and Health (NIOSH) and the Flavor and Extract Manufacturers Association (FEMA) regarding respiratory protection programs for workers exposed to food flavorings. If occupational exposures are above permissible limits, a NIOSH approved respirator designated to control organic vapors is recommended. A respiratory protection program that meets OSHA 1910.134 requirements must be followed whenever workplace conditions warrant a respirator's use. Additionally, the recommendations found in the following documents are applicable to all chemicals used in the workplace:

"Preventing Lung Disease in Workers Who Use or Make Flavorings" NIOSH Publication No. 2004-110

"Respiratory Health and Safety in the Flavor Manufacturing Workplace – Update 2015" FEMA

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid

Amoretti® 650 Page 3 of 6

Color: per specification
Odor: characteristic

Odor Threshold: not determined

pH: not determined

Percent volatile: not determined Vapor pressure: not determined

Vapor density: >1 (air = 1)

Relative density: not determined Boiling point: not determined Melting point: not determined Evaporation rate: not determined

Solubility in water: Soluble Oxidizing properties: None

Flashpoint: >100°F

Flammability (solid/gas): not applicable

Viscosity: not determined

Autoignition temperature: not determined

N-octanol/water partition coefficient: log Pow: not determined

Explosion limits, lower: not determined Explosion limits, upper: not determined

# **10. STABILITY AND REACTIVITY**

Reactivity: Hazardous polymerization will not occur

Chemical Stability: This product is stable when properly handled and stored.

Possibility of hazardous reactions: none known

**Conditions to avoid**: Store away from heat, flame, other sources of ignition.

**Incompatible materials**: Strong acids, bases, and oxidizers.

Hazardous decomposition products: CO, CO2, and hydrocarbons

## 11. TOXICOLOGICAL INFORMATION

Route(s) of exposure: eye contact, skin contact, ingestion, inhalation

Signs and symptoms of overexposure: May cause an allergic skin rash. Causes eye irritation. May cause skin dryness and cracking. Ingestion causes gastrointestinal irritation. May cause a burning sensation. Ingestion of large quantities may cause excitement, headache, dizziness, drowsiness, slurred speech, confusion, nausea and unconsciousness. Chronic ingestion may cause liver damage (cirrhosis). May be absorbed through skin with prolonged and widespread contact.

**Description of immediate effects:** 

Chemical Name	Inhalation LC₅₀	Oral LD₅₀	Dermal LD₅0
Ethyl Alcohol	>20,000 ppm/10H	>7060 mg/kg	
Flavor Component		>5000 mg/kg	

Skin Corrosion/Irritation: Does not meet classification criteria.

**Serious Eye Damage/Irritation:** Does not meet classification criteria.

Amoretti® 650 Page 4 of 6

**Respiratory or Skin Sensitization:** Based on information available from the supplier, criteria is met. Causes allergic skin reaction. Calculation method.

STOT (Specific Target Organ Toxicity) Single Exposure: Does not meet criteria.

# Description of delayed effects:

Carcinogenicity							
Chemical Name	NTP Status	IARC Status	OSHA Status				
Ethyl Alcohol	Not Listed	Alcoholic Beverages	Not Listed				
Flavor Component	Not Listed	Not Listed	Not Listed				

Reproductive Toxicity: Prolonged or excessive ingestion of ethyl alcohol may cause harm to the unborn child.

Mutagenicity: Not known or expected to be mutagenic

STOT (Specific Target Organ Toxicity) Repeated Exposure: Does not meet criteria

**Comments:** This product has not been tested on animals. The toxicological information has been taken from available literature on the components.

## 12. ECOLOGICAL INFORMATION

#### **Environmental data:**

Aquatic toxicity (acute) (ethyl alcohol):

96-hour LC<sub>50</sub>: 12900-15300 mg/L (Rainbow Trout)

24-hour LC<sub>50</sub>: 11200 mg/L (Rainbow Trout)

#### 13. DISPOSAL CONSIDERATIONS

**Disposal method:** Dispose of this product in accordance with all applicable local, state, and federal regulations. This material may exhibit flammability characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. US EPA guidelines for classification determination are listed in 40 CFR Part 261.3. Processing, use, contamination or removal process may change waste management options. State and local disposal regulations may differ from federal disposal regulations. It is the generator's responsibility to properly classify their wastes.

# 14. TRANSPORATION INFORMATION

DOT (Department of Transportation)

Proper shipping name: Not regulated by ground or rail in non-bulk containers.

# 15. REGULATORY INFORMATION

**United States** 

SARA Title III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories: Flammable Liquid Category 3; Skin Sensitizer Category 1

# **16. OTHER INFORMATION**

Revision summary: New SDS

Issue Date: 06/25/2017

Manufacturer disclaimer: The information presented herein is believed to be accurate and is given in good faith but is not warranted. No warranty, express or implied, is made. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of

Amoretti® 650 Page 5 of 6

information from all sources to assure proper use of this product and the safety and health of employees. This product is a mixture of several components. Hazard determination is based on information currently available on the components of the mixture. Since hazardous and toxicological effects of the mixture are not fully known, the material may present unknown hazards and appropriate precautions for exposures in the workplace should be taken.

End of MSDS

Amoretti® 650 Page 6 of 6