

TROPICO FRUITS PTY LTD 32 Central Park Drive YANDINA, QLD 4561 Telephone: 07 5445 9055 Fax: 07 5453 2255	<b>Material Safety Data Sheet</b>	Issue: A Date: 08.07/21 Page 1 of 2
<b>PRODUCT</b>	<b>Blood Plum Puree</b>	<b>PLUM08.MSDS.01</b>
NOT CLASSIFIED AS HAZARDOUS ACCORDING TO APPROVED CRITERIA FOR CLASSIFYING HAZARDOUS SUBSTANCES[NOHSC:1008(2004)]		

**UN NUMBER:** None Allocated

**DANGEROUS GOODS CLASS AND SUBSIDIARY RISK:** None Allocated

**HAZCHEM NUMBER:** None Allocated

**POISONS SCHEDULE NUMBER:** None Allocated

**USE:** Food Ingredient

**PHYSICAL DESCRIPTION**

**APPEARANCE:** Light to Dark Purple

**BOILING POINT/MELTING POINT:** Not Applicable

**VAPOUR POINT:** Not Applicable

**SPECIFIC GRAVITY:** 1.0720 g/ml (approx.).

**FLASHPOINT:** Not Applicable

**CLEAR FLAMMABILITY LIMITS:** Not Applicable

**SOLUBILITY IN WATER:** Soluble in water

**INGREDIENTS**

CHEMICAL NAME:	CAS NUMBER:	PROPORTION:
Plum Puree	N/A	100%

**HEALTH HAZARD INFORMATION**

**ACUTE HEALTH EFFECTS**

SWALLOWED:	Does not present a problem
EYE:	Slight irritation
SKIN:	Does not present a problem
INHALED:	Vapours do not present a problem

**FIRST AID**

SWALLOWED:	Does not present a problem
EYE:	Wash out with water
SKIN:	Does not present a problem
INHALED:	Does not present a problem
FIRST AID FACILITIES:	No specific requirements

TROPICO FRUITS PTY LTD 32 Central Park Drive YANDINA, QLD 4561 Telephone: 07 5445 9055 Fax: 07 5453 2255	<b>Material Safety Data Sheet</b>	Issue: A Date: 08.07/21 Page 2 of 2
<b>PRODUCT</b>	<b>Blood Plum Puree</b>	<b>PLUM08.MSDS.01</b>
NOT CLASSIFIED AS HAZARDOUS ACCORDING TO APPROVED CRITERIA FOR CLASSIFYING HAZARDOUS SUBSTANCES[NOHSC:1008(2004)]		

#### PRECAUTIONS FOR USE

EXPOSURE STANDARDS:	Not Applicable
ENGINEERING CONTROLS:	Not Applicable
PERSONAL PROTECTION:	Avoid contact with eyes
FLAMMABILITY:	Not Applicable

#### SAFE HANDLING INFORMATION

STORAGE AND TRANSPORT:	No special storage or transport requirements
SPILLS AND DISPOSAL:	Not Applicable
FIRE/EXPLOSION HAZARD:	Not Applicable

#### CONTACT POINT

Technical: Kirti Mittal

Date: 08.07.21